

Table of Contents

| | |
|--|----------|
| Welcome to the 6th International Symposium Breeding Research on Medicinal and Aromatic Plants (BREEDMAP 6) | 7 |
| <i>Frank Marthe</i> | |
| Aims and history of BREEDMAP - Welcoming address of the initiator of the BREEDMAP symposium series | 8 |
| <i>Friedrich Pank</i> | |

Session A: Next generation methods and chances for medicinal and aromatic plants

| | |
|---|-----------|
| APL 1: Next-generation sequencing in MAP breeding – efficient and affordable? | 9 |
| <i>Johannes Novak</i> | |
| ASL 1: Towards developing a genetic linkage map of isabgol (<i>Plantago ovata</i> Forsk.), a medicinal plant with potent laxative properties | 11 |
| <i>Manivel Ponnuchamy, Nagaraja Reddy Rama Reddy</i> | |
| ASL 2: <i>Artemisia annua</i> L.: Polyploidy and NIRS, two tools to improve breeding efficiency | 15 |
| <i>Mélanie Quennoz, Xavier Simonnet, Cedirc Camps, Christoph Carlen</i> | |
| ASL 3: Use of genotyping by sequencing (GBS) in chamomile (<i>Matricaria recutita</i> L.) to enhance breeding | 17 |
| <i>Lars-Gernot Otto, Jonathan Brassac, Prodyut Mondal, Susanne Preiss, Jörg Degenhardt, Timothy Francis Sharbel</i> | |
| ASL 4: Next Generation Complex Genome Assembly | 18 |
| <i>Kobi Baruch, Omer Barad, Gil Ben Zvi, Gil Ronen</i> | |

Session B: Cell, tissue and organ culture, cryopreservation and endophytes

| | |
|---|-----------|
| BPL 1: Cell, tissue and organ culture, cryopreservation, endophytes in relation to medicinal and aromatic plants | 21 |
| <i>Satir Singh Gosal</i> | |
| BSL 1: Biotechnological tools for improvement of black nightshade (<i>Solanum nigrum</i> L. complex), valuable medicinal and vegetable plants in Kenya | 22 |
| <i>Evelyn Klocke, Lexa Gomezgani Matasyoh, Holger Budahn, Ute Kästner</i> | |
| BSL 2: Endophytes in commercial micropropagation - friend or foe? | 26 |
| <i>Philipp Rödel, Imke Hutter, Carolin Schneider</i> | |

| | |
|---|-----------|
| BSL 3: Alternative strategies to by-pass the plant-based Azadirachtin-A production | 29 |
| <i>Peter Spieth, Rieke Lohse, Hanna Bednarz, Hubertus Kleeberg, Karsten Niehaus, Anant V. Patel</i> | |

Session C: Resistance breeding and new phytopathogens

| | |
|--|-----------|
| CPL 1: New, emerging and re-emerging fungal diseases on medicinal and aromatic plants in European domain | 33 |
| <i>R. Rodeva, J. Gabler, Z. Machowicz-Stefaniak, A. Kačergius, B. Zimowska, E. Zalewska, Z. Stoyanova</i> | |
| CSL 1: Evaluation of parsley (<i>Petroselinum crispum</i>) focused to <i>Septoria petroselini</i> and <i>Plasmopara petroselini</i> causing <i>Septoria</i> blight and downy mildew | 40 |
| <i>Frank Marthe*, Tobias Bruchmüller, Andreas Börner, Ulrike Lohwasser</i> | |
| CLS 2: Yield and quality affecting pathogens on Horseradish (<i>Armoracia rusticana</i>) | 43 |
| <i>Birgit Zange, Markus Schmidt-Heydt, Gisela Westermeier</i> | |
| CSL 3: First results of investigations into causes of diseases of cultivated chamomile (<i>Matricaria recutita</i> L.) in Germany | 44 |
| <i>Ute Gärber, Katja Sommerfeld</i> | |

Session D: Improvement of organisms for bioreactors and photo bioreactors

| | |
|---|-----------|
| DPL 1: Novel plant cell systems, vis-à-vis cultivation methodologies for the production of valuable phytochemicals | 47 |
| <i>R.A. Gokare</i> | |
| DSL 1: Cyanobacterial production of indole-3-acetic acid for use in agriculture | 49 |
| <i>Mathias Rupf</i> | |

Session E: Ex situ and in situ genetic recourses – protection and use by collecting practice – cultivation of new species

| | |
|--|-----------|
| EPL 1: Domestication and sustainable production of wild crafted plants with special reference to the Chilean Maqui berry (<i>Aristotelia chilensis</i>) | 50 |
| <i>Hermine Vogel, Benita González, Giordano Catenacci, Ursula Doll</i> | |

| | |
|---|-----------|
| ESL 1: Intraspecific taxonomy of plant genetic resources – Important for differentiation of medicinal and aromatic plants? | 53 |
| <i>Ulrike Lohwasser, Andreas Börner, Frank Marthe</i> | |
| ESL 2: Genetic resources of <i>Thymus vulgaris</i> L. and <i>T. vulgaris</i> x <i>T. Marshallianus</i> Willd. in the Czech Republic | 56 |
| <i>Elena Dušková, Karel Dušek, Kateřina Smékalová, Marie Nosálková, Sandra Benická</i> | |
| ESL 3: The pharmacological assay as a tool to medicinal plants domestication | 59 |
| <i>Ilio Montanari Jr., Ana Lúcia Tasca Gois Ruiz, Carlos Amílcar Parada, João Ernesto de Carvalho</i> | |
| ESL 4: Ex-situ evaluation of morphological, agronomic and qualitative traits of a naturalized population of parsley (<i>Petroselinum crispum</i> (Mill) Nyman) | 62 |
| <i>Pietro Fusani, Fabrizio Scartezzini, Nicola Aiello</i> | |
| ESL 5: Parasitic Angiosperms as medicinal plants | 66 |
| <i>Karl Hammer, Merita Hammer-Spahillari</i> | |
| ESL 6: The controlled cultivation of <i>Cannabis sativa</i> at VitaPlant | 67 |
| <i>Amin Chaanin</i> | |

Session F: Plant breeding and plant analytics

| | |
|--|-----------|
| FPL 1: Medicinal plant breeding in Poland: history and nowadays | 68 |
| <i>Katarzyna Seidler-Lozykowska</i> | |
| FPL 2: Alternatives to Chromatography in Plant Breeding | 70 |
| <i>Michael Keusgen</i> | |
| FSL 1: Comparative investigation of 11 <i>Achillea collina</i> Becker accessions concerning phenological, morphological, productional features and active agent content | 76 |
| <i>Sára Kindlovits, Beatrix Cserhádi, Katalin Inotai, Péter Rajhárt, Éva Németh-Zámbori</i> | |
| FSL 2: H NMR- based metabolite profiling of tropane alkaloids in <i>Duboisia</i> spec. | 79 |
| <i>Sophie Friederike Ullrich, Andreas Rothauer, Oliver Kayser</i> | |
| FSL 3: Recent achievements of the introduction and improvment of native medicinal plants in Iran | 83 |
| <i>Javad Hadian, Ali Karimi, Ghasem Eghlima, Hassan Mouvivand, Sepideh Parsafar, Mahdi Malekpoor</i> | |
| FSL 4: Agronomical and phytochemical evaluation of <i>Stevia rebaudiana</i> genotypes | 86 |
| <i>José F. Vouillamoz, Evelyn Wolfram-Schilling, Claude-Alain Carron, Catherine A. Baroffio</i> | |

| | |
|---|-----------|
| FSL 5: Temporal variation of essential oils in dried flower of two genotypes of Damask rose (<i>Rosa damascena</i> Mill.) | 89 |
| <i>Akbar Karami, Pouya Roust, Abolfazl Jowkar</i> | |
| FSL 6: Evaluation of lemon balm (<i>Melissa officinalis</i>) collections | 92 |
| <i>Johannes Kittlerr, Hans Krüger, Detlef Ulrich, Otto Schrader, Bärbel Zeiger, Ute Kästner, Wolfgang Schütze, Ulrike Lohwasser, Gennadi Gudi, Andrea Krähmer, Christoph Böttcher, Frank Marthe</i> | |
| FSL 7: HPLC analysis of anthocyanins and flavonols and expressions of different copies of F3 '5 'H in grapevine transgenic lines | 93 |
| <i>Maryam Pezhmanmehr, Amir Moosavi, Ali Ebadi, Debra McDavid, Amanda R. Walker</i> | |

Session G: CBD, Nagoya Protocol, EU regulations

| | |
|---|-----------|
| GPL 1: Why and how did the Nagoya Protocol evolve? | 97 |
| <i>Bert Visser</i> | |

Workshop: Pyrrolizidine alkaloids – a problem?

| | |
|---|-----------|
| WSL 1: Assessment of potential contamination of herbal medicinal products with PA: Activities of the German industry | 98 |
| <i>Barbara Steinhoff</i> | |

Poster

| | |
|---|------------|
| P 1: Novel insights improve cryopreservation of the <i>Mentha</i> genebank collection | 99 |
| <i>Angelika Senula, Doris Büchner, Joachim Keller, Manuela Nagel</i> | |
| P 2: The application of multi-shoots cultures in micropropagation of willow herb (<i>Chamaenerion angustifolium</i> (L.) Scop.) | 100 |
| <i>Mariola Dreger, Karolina Wielgus, Joanna Makowiecka, Jolanta Wegenke, Tomasz Michalik</i> | |
| P 3: Resistance evaluation of parsley populations (<i>Petroselinum crispum</i>) for resistance to Septoria leaf spot (<i>Septoria petroselini</i>) | 103 |
| <i>Frances Karlstedt, Frank Marthe, Wolf Dieter Blüthner, Günter Schumann, Klaus Pillen</i> | |
| P 4: Ex situ regeneration of cross-pollinated MAP genetic resources in the Czech Republic | 104 |
| <i>Karel Dušek, Elena Dušková, Kateřina Smékalová</i> | |

| | |
|---|------------|
| P 5: A descriptor list of <i>Silybum marianum</i> (L.) Gaertner – morphological and biological characters | 107 |
| <i>Elena Dušková, Karel Dušek, Kateřina Smékalová</i> | |
| P 6: Response of growth and wax production of jojoba (<i>Simmondsia chinensis</i> (Link) C.K. Schneid.) to the growing location in Egypt | 111 |
| <i>Salah M. Mahmoud, Saber F. Hendawy, Ibrahim M. .F., Mahmoud A. El Serafy, Hussan A. Youssf</i> | |
| P 7: Variability of total flavonoid and mucilage content of wild growing chamomile (<i>Matricaria recutita</i> L.) populations | 112 |
| <i>Beáta Gosztola, Éva Németh-Zámbori</i> | |
| P 8: Productivity of different thyme varieties (<i>Thymus vulgaris</i> L.) in the condition of non chernozem-zone of Russian Federation | 115 |
| <i>Elena Malankina, Elena Eremeeva, Hanan Al Karavi</i> | |
| P 9: Identification of volatile components in two <i>Thymus</i> species from Iran and their antioxidant properties | 117 |
| <i>Elaheh Malekitabar, Bahman Nickavar</i> | |
| P 10: <i>Peucedanum ostruthium</i> (L.) Koch: Morphological and phytochemical variability of twelve accessions from the Swiss alpine region | 121 |
| <i>Jessica Heather McCardell, Julien Héritier, Xavier Simonnet, Christoph Carlen</i> | |
| P 11: Introduction of wild MAP species into the field culture | 124 |
| <i>Elena Dušková, Karel Dušek, Kateřina Smékalová, Marie Orságová</i> | |
| P 12: Conservation of medicinal and aromatic plants | 128 |
| <i>Laima Šveistytė, Jolita Radušienė, Juozas Labokas, Birutė Karpavičienė, Kristina Ložienė</i> | |
| P 13: Evaluation of the phytochemical constituents total phenol, total flavonoid and anti-oxidant activity of <i>Delonix elata</i> flower extract | 131 |
| <i>Teklit Gebregiorgis Amabye, Frehiwot Mekonen</i> | |
| P 14: Variability in essential oil of <i>Ducrosia anethifolia</i> (DC.) Boiss. growing wild in Fars province, Iran | 132 |
| <i>Akbar Karami, Arezo Bahloli</i> | |
| P 15: Breeding of a high yielding chamomile variety (<i>Matricaria recutita</i> L.) with improved traits for machine harvesting | 135 |
| <i>Sebastian Albrecht, Marlis Sonnenschein, Andreas Plescher</i> | |
| P 16: Evaluation of agronomical and qualitative characteristics of Greek Oregano (<i>Origanum vulgare</i> ssp. <i>hirtum</i>) germplasm for breeding purposes. | 139 |
| <i>Eirini Sarrou, Nektaria Tsivelika, Paschalina Chatzopoulou, Athanasios Mavromatis</i> | |
| P 17: ATR-FTIR Spectroscopy on intact dried leaves of sage (<i>Salvia officinalis</i> L.) – chemotaxonomic discrimination and essential oil composition | 143 |
| <i>Gennadi Gudi, Andrea Krähmer, Hans Krüger, Hartwig Schulz</i> | |

| | |
|---|------------|
| P 18: Discrimination of fennel chemotypes applying IR and Raman spectroscopy – discovery of a new γ-asarone chemotype | 146 |
| <i>Andrea Krähmer, Gennadi Gudi, Hans Krüger, Lothar Henning, Hartwig Schulz</i> | |
| P 19: Characterization of the flower morphology of three <i>Duboisia</i> species | 149 |
| <i>Rosa Hiltrop, Andreas Rothauer, Traud Winkelmann, Julia Sparke</i> | |
| P 20: Intraspecific diversity of <i>Achillea collina</i> Becker evaluated by molecular genetic markers | 152 |
| <i>Katalin Inotai, Zsuzsanna György, Sára Kindlovits, Eszter Trócsányi, Éva Németh-Zámbori</i> | |
| P 21: Study of self-pollination and capitula characteristics in globe artichoke (<i>Cynara cardunculus</i> var. <i>scolymus</i> Hayek L.) under different irrigation regimes | 153 |
| <i>Sina Nouraei, Mehdi Rahimmalek, Ghodratollah Saeidi</i> | |
| P 22: Hybrid-breeding of medicinally used valerian (<i>Valeriana officinalis</i> L. s.l.). A possible concept developing new varieties? | 157 |
| <i>Michael Penzkofer, Stefan Seefelder, Heidi Heuberger</i> | |
| P 23: Comparison of five <i>Perilla frutescens</i> (L.) Britt. genotypes in Hungary | 161 |
| <i>Péter Radácsi, Lotti Ágnes Szomor, Katalin Inotai, Bálint Medgyesi, Éva Németh-Zámbori</i> | |
| P 24: Clone Selection for High Quality Types of Oregano (<i>Origanum dubium</i> Boiss.) | 164 |
| <i>Kenan Turgut, Begum Tutuncu, Yasar Ozyigit, Esra Ucar</i> | |
| P 25: Breeding for downy mildew resistance in basil | 167 |
| <i>M. Wident, M. Turner, V. Grimault, L. van Niekerk, B. Lemaire, A. Rodriguez, D. Degrelle, M. Loubaud</i> | |
| P 26: Vegetative and generative maintenance of self-incompatibility in six accessions of German chamomile | 168 |
| <i>Bettina Faehnrich, Sarah Wagner, Chlodwig Franz</i> | |
| P 27: Impact of targeted UPLC-MS/MS metabolomics on chemical and biochemical characterisation of MAPs | 169 |
| <i>Stefan Martens, Eirini Sarrou, Paschalina Chatzopoulou</i> | |
| Authors | 172 |